



# PREMIUM

SPRING HINGES



Stable stainless steel mechanism

Elegant & short construction



Proven flexInox technology

Safety with conical  screw system (T3)

	2.0 mm	2.4 mm

Art No	60-05001 / 73-15001	60-05002
<b>Technical data</b>		
Material case for soldering for welding	nickel silver bronze	nickel silver --

Matching parts		
Front hinges for soldering	52-05075	52-05123
Front hinges for welding	52-05074	52-05127
Front hinges for plastic frames 90°	33-05001	33-05100
Front hinges for plastic frames 180°	33-05010	33-05012
Step hinges for soldering	52-05112	52-05111
Screws	99-01803 99-02530 99-04803	99-01811 99-02525 99-04811

**Stable 3-piece construction**



**Easy adjustment thanks to superior inclination**



**No rocking with U-shaped mechanism made from stainless steel**

**Safety with conical  screw system (T3)**

	2.7 mm	3.0 mm	4.3 mm
Technical drawing (top view)			
Technical drawing (side view)			
Technical drawing (bottom view)			

Art No	60-04062 / 73-X4062	60-04063 / 73-X4063	60-04064 / 73-X4064
<b>Technical data</b>			
Material case	nickel silver	nickel silver	nickel silver
Delivery status for soldering for welding	case & mechanism parts separate pre-assembled		

Matching parts			
Front hinges for soldering	52-05069	52-05067	52-05064
Front hinges for welding	52-04062	52-04063	52-04064
Front hinges for plastic frames 90°	33-05062 33-04162 off center	33-05363 33-04163 off center	33-05164 33-04164 off center
Front hinges for plastic frames 180°	33-04062	33-04063	33-04064
Step hinges for soldering	52-05462	52-05363 52-05463	52-05164 52-05264
Screws	99-02016 99-04724	99-01814 99-02524 99-04814	99-01816 99-02503 99-04816



**OBE Ohnmacht & Baumgärtner GmbH & Co. KG · Turnstr. 22 · 75228 Ispringen · Germany**  
**Tel. +49 7231 802-0 · Fax +49 7231 802-156 · [www.obe.de](http://www.obe.de) · [info@obe.de](mailto:info@obe.de)**